


Sensores FBG de strain de la familia OESTS.

Surface Mount Strain Sensor with Model number: **OESTS-100**




Fiber Bragg Grating Strain Sensor for Surface Mount

SPECIFICATIONS for SESTS-100:

Range	+/- 1000 uStrain
Resolution	1 uStrain
Working Temperature	-50 ~ +80oC
Size(mm)	70x18x11 mm (length x width x height)

Small Form Surface Mount Strain Sensor with Model number: **OESTS-200**




FBG Strain Sensor with small form surface mount

SPECIFICATIONS for OESTS-200:

Range	+/- 1000 uStrain (larger strain range available)
Resolution	1 uStrain
Working Temperature	-50 ~ +80oC
Size (mm)	6 x 40 x 4 mm (width x length x height)

High profile Surface Mount Strain Sensor with Model number: **OESTS-300**




FBG Strain Sensor with high profile surface mount

SPECIFICATIONS for OESTS-300:

Range	+/- 1000 uStrain (larger strain range available)
Resolution	1 uStrain
Working Temperature	-50 ~ +80oC
Size(mm)	?? x 54 x 7 mm (width x length x height)

Long Strain Range Strain Sensor with Model number: **OESTS-500**




FBG Long Range Strain Sensor

SPECIFICATIONS for OESTS-500:

Range	> 5000 uStrain (larger strain range available)
Size(mm)	□150 x 20 x 12 (length x width x height)
Working Temperature	-50 ~ +80oC
Mounting distance (mm)	¿?

Temperature Compensated Strain Sensor with Model number: **OESTS-600**



Temperature Compensated Fiber Bragg Grating Strain Sensor

SPECIFICATIONS for SESTS-600:

Range	+/- 1000 uStrain
Resolution	1 uStrain
Working Temperature	-10 ~ +70oC
Size(mm)	70 x 12 x 10 mm (length x width x height)